

AHDB Recommended Lists

Winter Rye DL 1-year results 2017 - DL varieties

23-Nov Treated grain yield (t/ha) - as % mean of controls					
Name	Code	12-17	2017	Great Melton	Clinge
		mean	mean	Norfk	Sufflk
Control mean		9.01	8.16	7.09	9.24
LSD 5% (as %C)		3.7	9.8	13.5	4.2
CV%		4.2	4.0	7.6	2.4
SU Mephisto (C)	RY9097	100	100	100	100
Tur	RY51	101	113	117	110
SU Phoenix	RY9103	101	107	111	104
Inspector	RY9106	93	97	106	91
SU Drive	RY9112	102	104	104	104
SU Performer	RY9114	108	112	112	112
Dukato	RY9116	91	94	95	93
SU Cossani	RY9126	104	102	101	102

(C) = yield control

Not all varieties on the AHDB Recommended List are presented, since the focus is to test new varieties.

Yields for well-established varieties on the AHDB Recommended Lists are available at cereals.ahdb.org.uk/varieties

The AHDB Recommended Lists are managed by a project consortium of AHDB Cereals & Oilseeds, BSPB, nabim and MAGB.

AHDB Cereals & Oilseeds is a division of the Agriculture and Horticulture Development Board.

While the Agriculture and Horticulture Development Board seeks to ensure that the information contained within this document is accurate at the time of printing, no warranty is given in respect thereof and, to the maximum extent permitted by law, the Agriculture and Horticulture Development Board accepts no liability for loss, damage or injury howsoever caused (including that caused by negligence) or suffered directly or indirectly in relation to information and opinions contained in or omitted from this document. © Agriculture and Horticulture Development Board 2017. All rights reserved.

Harvest results from an individual trial sites should not be used to make conclusions on individual variety performance. Recommended lists are based on information taken from trials across the UK over several seasons. As more information becomes available from the 2017 harvest, this will contribute to the over trials averages, which comprise 4 years for oilseeds and 5 years for cereals. These values provide better information for comparison between varieties.

When more results are available, our validation procedures will examine cross site differences further.